



10	nawiercania pod ciśnieniem PE	fi 160/40	3				
19	taśma niebieska z metalową wkładką (1 rolka - 100 mb)		7				
20	rura PVC kanalizacyjna	fi 160/4.0/500 SN4 lita	10				
		fi 160/4.0/1000 SN4 lita	20				
		fi 160/4.0/2000 SN4 lita	10				
		fi 160/4.0/3000 SN4 lita	10				
		fi 200//2000 SN8 lita	20				
		fi 200//3000 SN8 lita	15				
21	rura PVC kanalizacyjna osłonawa	fi 160/3.2/6000	20				
22	kolano PVC kanalizacyjna	fi 160/90	3				
		fi 160/67	2				
		fi 160/45	6				
		fi 160/30	6				
		fi 160/15	3				
		fi 200/90	2				
		fi 200/67	2				
		fi 200/45	2				
		fi 200/30	2				
		fi 200/15	2				
23	nasuwka PVC kanalizacyjna	fi 100	3				
		fi 200	3				
		fi 250	2				
		fi 300	2				
24	korek PVC	fi 160	5				
		fi 200	2				
25	Rura PN 20 PP-R UNIBETA L=4000 (z pomarańczowym paskiem)	fi 20	3				
		fi 25	1				
		fi 32	1				
		fi 40	1				
26	Kolanko 45° PP-R	fi 20	5				
		fi 25	5				
		fi 32	3				
27	Kolanko 90° PP-R	fi 40	2				
		fi 20	5				
		fi 25	5				
28	Kolanko 90° z gwintem zewnętrznym CrNi/PP-R	fi 32	3				
		fi 40	2				
		fi 20x 1/2"	1				
		fi 20x 3/4"	1				
		fi 25x 1/2"	1				
29	Kolanko nypłowe 90° PP-R	fi 25x 3/4"	1				
		fi 32x 3/4"	1				
30	Kolanko nypłowe 90° PP-R	fi 32x 1"	1				
		fi 20	5				
		fi 25	5				
		fi 20x 1/2"	1				
		fi 20x 3/4"	1				
		fi 25x 1/2"	1				
31	Kolanko z gwintem wewnętrznym CrNi/PP-R	fi 25x 3/4"	1				
		fi 32x 3/4"	1				
		32x 1"	1				
		fi 20x 1/2"	1				
32	Kolanko naścienne z gwintem wewnętrznym	fi 25x 1/2"	1				
		fi 25x 3/4"	1				
		fi 20	5				
33	Mufa PP-R	fi 25	3				
		fi 32	1				
		fi 40	1				
		fi 20/16	1				
34	Mufa redukcyjna PP-R	fi 25/20	1				
		fi 32/20	1				
		fi 32/25	1				
		fi 40/32	1				
		fi 20/16	1				
		fi 25/20	1				
35	Redukcja PP-R	fi 32/20	1				
		fi 32/25	1				
		fi 40/20	1				
		fi 40/25	1				
		fi 40/32	1				
35	Trójnik z gwintem wewnętrznym	fi 20x 1/2"	2				
		fi 20x 3/4"	3				
		fi 25x 1/2"	1				

	wewnętrzny CrNi/PP-R	fi 25x 3/4"	1				
		fi 32x 3/4"	1				
		fi 32x 1"	1				
36	Trójnik z gwintem zewnątrznym CrNi/PP- R	fi 20x 1/2"	2				
		fi 25x 1/2"	2				
		fi 25x 3/4"	1				
		fi 32x 1/2"	1				
37	Trójnik równoprzelotowy 90° PP-R	fi 20	3				
		fi 25	3				
		fi 32	1				
		fi 40	1				
38	Trójnik redukcyjny 90° PP-R	fi 20x 16x 20	1				
		fi 25x 20x 25	1				
		fi 32x 20x 32	1				
		fi 32x 25x 32	1				
		fi 40x 20x 40	1				
		fi 40x 25x 40	1				
39	Zaślepka PP-R	fi 20	3				
		fi 25	3				
		fi 32	1				
		fi 40	1				
40	Złączka z gwintem zewnątrznym CrNi/PP- R	fi 20x 1/2"	2				
		fi 20x 3/4"	5				
		fi 25x 1/2"	2				
		fi 25x 3/4"	5				
		fi 32x 1"	1				
		fi 40x 5/4"	1				
41	Złączka z gwintem wewnętrzny CrNi/PP-R	fi 20x 1/2"	2				
		fi 20x 3/4"	5				
		fi 25x 1/2"	2				
		fi 25x 3/4"	5				
		fi 32x 1"	1				
		fi 40x 5/4"	1				
Razem							

miejsowość i data

podpis/podpisy osoby/osób upoważnionych do reprezentowania